DHEENSAY

Mobile Folding Stages & Accessories

Stages are used for a variety of events and venues.

Be it for Shopping Malls, Convention Centres, Hotels

Auditoriums or even Schools and Colleges. Available
in 4' x 8' sizes or 6' x 8' sizes. Further available in
either Fixed or Adjustable Height





Mobile Folding Stage Functions

Mobile, Versatile and used for a variety of functions from Catwalk, Performance or Speeches, our stages form an area that is tailored for you personally.


Stages link together for various set ups, and foldable for storage. Mobile for movement and placement at any given notice. Stages take minutes to set up and remove with a 2, or 4 person crew for larger set ups above 10 stages



Steprisers

Available in 2,3,or 4 steps for allowing occupants to climb comfortably on stages. Available with detachable Hand Rails for 3 & 4 Steprisers. Platform of steps are also given the same carpet surface as Stages







Skirtings

Functionally to serve the purpose of hiding wires, cables and other light items often tucked away under stages. Visually appealing to guest. Applied easily with velcro as a 1 man operation and made with better material - Micro Velvet.

Available in Adjustable or Fixed Height to compliment stage height



Stage Backdrops

For backstage operations and performers preparing to come on stage, backdrops works as a partition for this purpose. Functionally also serving as a barrier for performers. Suitable for venues such as shopping malls.





MOBILE FOLDING STAGES - 4 X 8

Dimensions (mm)





1221W X 2442L

Weight

Available upon selection of size and height(s)

Single Height (mm)	Adjustable Height (mm)	Folded Height (mm)
455	455 & 610	1578
610	610 & 760	1653
760	760 & 916	1705
916		1883

Specifications

18mm Solid Plywood Tops Carpeted Surface in Standard Plain Colours Heavy Duty Construction Grade Tubing 125mm Round Heavy Duty Wheels Velcro Edgings for Stage Skirtings

Black Non Woven Underlay below stage Black Textured Oven Baked Epoxy frame Galvanised Steel Tubing for extensions

Features

Foldable for storage and movement

Velcro Edging for applying Stage Skirtings

Mobile for placement in any locality

Easy assembly with minimal crew for operation

Stages link to set up required from T shape, Rectangular or Square

Various set ups possible for different events (Catwalk, Performance etc.)

Adjustable in Height for different event types

Options

Carpet colour in a variety of Plain Colors

MOBILE FOLDING STAGES - 6 X 8

Dimensions (mm)





1832W X 2442L

610W x 1832L

Weight

Available upon selection of size and height(s)

Single Height (mm)	Adjustable Height (mm)	Folded Height (mm)
455	455 & 610	1578
610	610 & 760	1653
760	760 & 916	1705
916		1883

Specifications

18mm Solid Plywood Tops Carpeted Surface in Standard Plain Colours

Heavy Duty Construction Grade Tubing

125mm Round Heavy Duty Wheels

Velcro Edgings for Stage Skirtings

Black Non Woven Underlay below stage Black Textured Oven Baked Epoxy frame Galvanised Steel Tubing for extensions

Features

Foldable for storage and movement

Velcro Edging for applying Stage Skirtings

Mobile for placement in any locality

Easy assembly with minimal crew for operation

Stages link to set up required from T shape, Rectangular or Square

Various set ups possible for different events (Catwalk, Performance etc.)

Adjustable in Height for different event types

Options

Carpet colour in a variety of Plain Colors

STAGE STEPRISE

Dimensions (mm)		Stage Height Application
	900W X 710L X 550H	455 & 610
	900W X 1020L X 720H	610 & 760
	900W X 1330L X 800H	760 & 916

With Arm Handle (mm)		Stage Height Application
		455 & 610 610 & 760
3 steprise : 1440H	4 steprise : 1600H	760 & 916

Specifications

18mm Solid Plywood Tops
Carpeted Surface in Standard Plain Colours
Heavy Duty Construction Grade Tubing
Black Textured Oven Baked Epoxy frame
Detachable Steel Arm Rail ***upon request

Features

Carpeted Surface and platform used as stage Easily Portable for storage and assembly Requires minimal labour Detachable Arm Handle applied easily

Options

Carpet colour selection

With or Without Detachable Arm Handle

STAGE SKIRTING

Dimensions (mm)	Stage Size Application
	4' x 8'

6' x 8'

3816 Length



4428mm Length

Single Height (mm)	Adjustable Height (mm)	
455	455 & 610	
610	610 & 760	
760	760 & 916	
916		

Specifications

100 % Polyester in Micro Velvet Finish
Available in a variety of colours to choose from
Comes in Single or Adjustable specification
Box Pleate Design with 50.8mm gap

Features

Attaches to stage edges easily

Micro Velvet finish is elegant to Fabric

Variety of colours avaiable

Box Pleate Design is appealing

Adjustable with Adjustable Stage Height

Washable when required for cleaning

Options

Colour Selection
Adjustable or Non Adjustable Height



STAGE BACKDROP



Specifications

Made with 25.4mm Steel Tubing with 1.2mm wall thickness
Black Textured Oven Baked Epoxy Finish
75mm Rubber Wheels with 2 units with brakes
Counter Weight of 20 Kilograms
Upholstered in Fabric / Micro Velvet / Micro Suede Surface

Features

Wheels with brakes as safety feature and placement
All Wheels are Swivel for Mobility
Upholstered Surface in variety of elegant colour choices and finishes
Assist with concealing performers and backstage operations
Counter Weight of 20 Kilograms added for sturdiness of Structure

Options

Colour Selection for Upholstery

